

**Rules and Regulations  
for the Classification  
of Linkspans,  
July 2008**

Notice No. 6

Effective Date of Latest  
Amendments:

See page 1

Issue date: December 2013

Lloyd's Register is a trading name of Lloyd's Register Group Limited and its subsidiaries. For further details please see <http://www.lr.org/entities>

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

# **RULES AND REGULATIONS FOR THE CLASSIFICATION OF LINKSPANS, *July 2008***

## **Notice No. 6**

This Notice contains amendments within the following Sections of the *Rules and Regulations for the Classification of Linkspans, July 2008*. The amendments are effective on the dates shown:

<b><i>Part</i></b>	<b><i>Chapter</i></b>	<b><i>Section</i></b>	<b><i>Effective date</i></b>
4	5	5	1 January 2014

The *Rules and Regulations for the Classification of Linkspans, July 2008* are to be read in conjunction with this Notice No. 6.

The status of the Rules is now:

Rules for Linkspans	Effective date:	July 2008
Notice No. 1	Effective date:	1 November 2008
Notice No. 2	Effective date:	1 April 2009
Notice No. 3	Effective date:	1 March 2010
Notice No. 4	Effective date:	1 October 2012
Notice No. 5	Effective date:	1 July 2013
Notice No. 6	Effective date:	1 January 2014

**Part 4, Chapter 5**  
**Piping Systems**

**Effective date 1 January 2014**

■ *Section 5*  
**Air, overflow and sounding pipes**

**5.3 Air pipe closing appliances**

5.3.1 Closing appliances fitted to tank air pipes are to be of a type which will allow the free passage of air or liquid to prevent the tanks being subjected to a pressure or vacuum greater than that for which they are designed, and prevent the free entry of water into the tanks.



© Lloyd's Register Group Limited 2013  
Published by Lloyd's Register  
*Registered office*  
71 Fenchurch Street, London, EC3M 4BS  
United Kingdom